

2021

1

443

5
800T

1 2000T 2 1000T 1

22 KUKA

B1B2

B1B2

VOC

2014

0

2017 40

2

9

1

+RTO

50m

m "

,6

0-3

0.5

3-6

1

3

1

2

PH/

/COD/

3

4

2

PDI

6

3

311

4

+

CMA

			m				
		FQ-AQ-CH-01	15	4	/		264
		FQ-TZ-01	16	12	/		
		FQ-TZ-01	16	4	/		
		FQ-TZ-02	17	12	/		
		FQ-TZ-02	17	4	/		
		FQ-TZ-03	16	12	/		
		FQ-TZ-03	16	4	/		
		FQ-TZ-06	50	12	/		
		FQ-TZ-06	50	4	/		
	1	FQ-TZ-04	18	12	/		
	1	FQ-TZ-04	18	4	/		
	2	FQ-TZ-05	18	12	/		
	2	FQ-TZ-05	18	4	/		
		FQ-AQ-AJB-01	8	4	/		

	FQ-AQ-AJB-01	8	1	/
2	AQ-AJB-02	8	4	/
2	AQ-AJB-02	8	1	/

1		S01	pH	7		
2		S02				
3		S03	27		1	1 /
4	PDI	S04				
5		S05	11	2—		
6						

				GC9790 HFYC-YQ-190
5		GB/T 16157-1996	-	AL204 HFYC-YQ-018
6		HJ 693-2014	3mg/m ³	GH-60E HFYC-YQ-259
7			1.25mg/m ³	GH-60E HFYC-YQ-259
8	- -	/ HJ 734-2014	0.01	

				65dB	HFYC-YQ-132
--	--	--	--	------	-------------

10

1 p m '

	BOD5			≤ 150
			----	----

1

			t	t	
1		VOCs	195.25	0.454994265	
2			50.79	2.64735706	
3			3.63	0.17054961	
4			0.0071	0.00018106	

				/	7	/	/	ND	/	/	3	/	/	3	/
	DA006			/	21	/	/	ND	/	/	3	/	/	3	/
				0.446	0.099	1.87	8.91	5.15	21.3	6.96	17.7	6.76	10.8	4.3	5.32
				/	0.01	/	/	0.124	/	/	9.69	/	/	0.544	/
				/	44	/	/	37	/	/	29	/	/	42	/
				/	ND	/	/	5.1	/	/	4.9	/	/	7.3	/
	DA007			/	0.01	/	/	0.017	/	/	2.46	/	/	0.541	/
				0.317	0.058	0.493	1.93	3.26	3.03	9.29	8.44	0.598	0.621	5.64	1.76
				/	ND	/	/	5.8	/	/	1.2	/	/	1.2	/
	DA008	1#		/	3	/	/	18	/	/	14	/	/	3	/
				/	0.01	/	/	3.12	/	/	4.61	/	/	0.155	/
				/	168	/	/	50	/	/	47	/	/	3	/
				0.163	0.194	2.93	2.37	39.3	4.57	38.2	15.2	4.18	7.74	6.54	4.07
				/	ND	/	/	1.5	/	/	2	/	/	1.7	/
	DA009	2#		/	ND	/	/	1.1	/	/	1.5	/	/	1.6	/
				/	10	/	/	5	/	/	3	/	/	3	/
				0.797	0.246	2.54	3.9	34.1	2.06	31.8	12.8	1.09	8.93	5.28	4.99
				/	16	/	/	30	/	/	12	/	/	5	/
				/	0.01	/	/	1.29	/	/	8.06	/	/	0.156	/
	DW003			1.53	1.53	1.53	1.03	4.2	1.93	2.4	2.4	2.4	3.22	3.22	3.22

				34	34	34	51	41	60	26	26	26	84	84	84
				0.08	0.74	0.17	ND	0.27	0.72	0.06	0.06	0.06	0.06	0.06	0.1
				3.4	11.5	5.8	27.7	8.7	11.4	10.2	8.2	5.3	20.4	28.8	25.3
				6	9	8	26	14	38	52	6	16	13	30	68
			PH	6.86	6.86	6.86	6.59	6.69	6.62	7.14	7.14	7.14	7.2	7.2	7.2
	DW001			0.05	0.05	0.05	ND	ND	0.03	0.05	0.05	0.05	0.05	0.05	0.05

GB36600-2018

1

HJ/T373-2007

2

HJ/T355-2007

HJ/T356-2007

6

HJ/T373-2007

7

HJ/T91-2002

8

GB12349-2008

0.5dB

0.5dB

1

<http://112.27.211.30:8081/login>

2

2021

GB36600-2018